

Work Order ID 81368 -1

81368

Page 1

March 13, 2012 2:47:18 PM

Item ID: D3636-041

Accept

N9000040100

Setup Start *NS1*

Revision ID:

Stop *NS2*

Item Name: Shoulder Harness

Start Date: 3/13/12 Start Qty: 12.00

12

Cust Item ID:

Required Date: 4/04/12 Req'd Qty: 12.00

12

Customer:

Reference:

Approvals: Process Plan: *CL*

Date: *12/03/13* Tooling:

Date:

Run Start *NR1*

QC:

Date: SPC (Y/N):

Date:

Stop *NR2*

Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Tool ID Tool # Plan Accept Reject Reject Insp.
Code Qty Qty Number Stamp

Draw Nbr

Revision Nbr

D3636

Rev B

100

0.00

100

PURCHASING

Purchasing

Memo

0.00

Purchasing

Issue P/O: *16429*
Purchase Part Number: P/N 3104-1-061-2396
AMSAFE INC., PHOENIX, ARIZONA
Certificate of conformity is required

Supplier:

12-03-13

110

Receive & Inspect for Damage & Mat'l Certs

0.00

110

Packaging

Memo

0.00

Packaging

Ensure certificate of conformity is attached

12/4/10 (12)

120

QC6- Inspect dimensions to drawing

0.00

120

QC

Memo

0.00

Quality Control

5/16/10

(12)

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 81368***81368***

Page 2

March 13, 2012 2:47:18 PM

Item ID: D3636-041

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Shoulder Harness

Start Date: 3/13/12 Start Qty: 12.00

12

Cust Item ID:

Required Date: 4/04/12 Req'd Qty: 12.00

12

Customer:

Reference:

Approvals: Process Plan:

Date:

Tooling:

Date:

Run Start ***NR1***

QC:

Date:

SPC (Y/N):

Date:

Stop ***NR2***Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
---------	--------	-----------	------------	------------	---------------	-------------

130

Identify as per dwg & Stock Location: 265

0.00

130

Packaging

Memo

0.00

Packaging

(12) 12/4/11 (P)

140

QC21- Final Inspection - Work Order Release

0.00

140

QC

Memo

0.00

Quality Control

12/4/12 (J)

12-04-11

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

March 13, 2012 2:47:18 PM

Page 1

Work Order ID: 81368

Parent Item: D3636-041

Parent Item Name: Shoulder Harness

Start Date: 3/13/12

Required Date: 4/04/12

Start Qty: 12.00

Required Qty: 12.00

Comments: IPP Rev:A revA as per dwg 08-01-09 DD verified by LL 08/01/09

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D3636-041P Shoulder Harness		Purchased	No			110	Each	6.0000	1	12		4/4/10	(12)
						<u>Location</u>		<u>Loc Qty</u>		<u>Loc Code</u>			
						ST		6					
						80154		6					

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

SPECIFICATION CONTROL DRAWING



NOTES:

- DESCRIPTION: 3-POINT SHOULDER HARNESS WITH LEVER STYLE BUCKLE AND CHROME HARDWARE PLATING
2" BLACK NYLON WEBBING, STYLE T1200-5 WHICH MEETS REQUIREMENTS OF TSO-C114
WITH MINIMUM STRENGTH OF 2500 LBS
- PURCHASE INFO: P/N 3104-1-061-2396 (D3636-041)
AMSAFE INC., PHOENIX, ARIZONA
- TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- UNITS: INCHES UNLESS OTHERWISE NOTED
- BREAK SHARP EDGES: N/A
- IDENTIFICATION: N/A
- WEIGHT: 1.7 lbs
- LABEL TO INCLUDE: DART AEROSPACE P/N D3636-11/-13
(613) 632-3336

CL 12/03/13
WIO: 81368

RELEASED
07.10.16

B	NEW HARNESS P/N'S; REFERENCE TSO-C114	LE	07.10.16
A	NEW ISSUE; REPLACES G10601	LE	07.07.27
REV	DESCRIPTION	BY	DATE
DESIGN	CV	DART AEROSPACE USA, INC PORT HADLOCK, WA	
DRAWN	LE		
CHECKED	PH	DRAWING NO.	REV. B
MFG. APPR	N/A	D3636	SHEET 1 OF 1
APPROVED	PH	TITLE	SCALE
DE APPR	PH	SHOULDER HARNESS	NTS
DATE	07.10.16	COPYRIGHT © 2007 BY DART AEROSPACE USA, INC THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS NOT TO BE RELEASED OR DISCLOSED TO ANY OTHER PERSON OR ENTITY WITHOUT PERMISSION FROM DART AEROSPACE USA, INC	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

AmSafe

1043 NORTH 47th AVENUE
PHOENIX, AZ 85043
PH (602)850-2850 FAX (602)850-2812

SHIPPER/CERTIFICATION



CUSTOMER NO.	SALES ORDER NO.	BOL NO.	DATE PRINTED	PAGE NO.
10006113	S229873	000262475	04/06/12	1

DART AEROSPACE
1270 ABERDEEN STREET
HAWKESBURY
ONTARIO, CANADA K6A 1K7
Canada

DART AEROSPACE LTD.
1270 ABERDEEN ST
HAWKSBURY,, ON K6A 1K7
Canada

Ship to ID: 10006125

CUSTOMER ORDER NO.	TERMS	FREIGHT	SHIP VIA	F.O.B.
PO16429	NET30	COLLECT	FedEx P1 10:30 AM	ORIGIN

Sales Order Remarks: 1517-9324-0

Remarks:

3/14/12 CHG:ADDED LINE 2

SHIPMENT REFERENCE 000262475

LINE	ITEM NUMBER / DESCRIPTION	DRAWING AND CERTIFICATIONS	DUE DATE	QTY ORDERED	QTY SHIPPED	QTY BACK ORDERED
1	Cust. Item No.: D3636041 3104-1-061-2396 REST SYS ASSY	DRAWING: 3104 REV: G CERT: TSO-C114 Lot/Serial Numbers Shipped Quantity S229873-1	2012-04-06 12.0	12 Expire Ref.	12	0

8/17/10

I certify that the article(s) listed above conform to all applicable design data, and (as applicable):

FAA PMA, FMVSS 209, FMVSS 302, 14 CFR 25.853

FAA TSO C22f, C22g, C114 or TSO Plus

The conditions and tests required for TSO approval of the article(s) are minimum performance standards. It is the responsibility of those installing the article(s) either on or within a specific type or class of aircraft to determine that the aircraft installation conditions are within the standards applicable to the TSO article including (when applicable) the integrated non-TSO function. The non-TSO function is described as the seat belt airbag system including the inflator cable assembly and electrical components that have not been evaluated for functionality or installation requirements. TSO articles including the integrated non-TSO function must have separate approval for installation in an aircraft. The article(s) may be installed only if performed under 14 CFR part 43 or the applicable airworthiness requirements. Product shipped meets all material, processing and test requirements. Certifications/Test reports as applicable are retained on file at AmSafe Aviation.

AmSafe Authorized Signature: X

Printed Name:

Stephanie Tume

Date: APR 06/2012

COUNTRY OF ORIGIN USA

1. Approving National Aviation Authority/Country: FAA/United States		2. AUTHORIZED RELEASE CERTIFICATE FAA Form 8130-3, AIRWORTHINESS APPROVAL TAG				3. Form Tracking Number: 52298737- NW	
4. Organization Name and Address:		AmSafe Aviation 1043 North 47th Avenue Phoenix, Arizona 85043				5. Work order/Contract/Invoice Number: S229873 - 1 <input type="radio"/> PAGES ATTACHED	
6. Item:	7. Description:	8. Part Number:	9. Eligibility: *	10. Quantity:	11. Serial/Batch Number:	12. Status/Work:	
1	REST SYS ASSY	3104-1-061-2396	N/A	12	N/A	NEW	
13. Remarks: Drawing: 3104 Rev: G TSO: TSO-C114 DMF: A0312							
EXPORT AIRWORTHINESS APPROVAL: THIS ARTICLE MEETS THE SPECIAL REQUIREMENTS OF CANADA							
14. Certifies the items identified above were manufactured in conformity to: <input checked="" type="checkbox"/> Approved design data and are in a condition for safe operation <input type="checkbox"/> Non-approved design data specified in Block 13.				19. <input type="checkbox"/> 14 CFR 43.9 Return to Service <input type="checkbox"/> Other regulation specified in Block 13 Certifies that unless otherwise specified in Block 13, the work identified in Block 12 and described in Block 13 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.			
15. Authorized Signature:		16. Approval/Authorization No.:		20. Authorized Signature		21. Authorized/Certificate No.	
		ODA602112NM					
17. Name (typed or printed)		18. Date (m/d/y):		22. Names (typed or printed)		23. Date (m/d/y):	
Nancy Williamson		APR/05/2012					
User/Installer Responsibilities							
<p>It is important to understand that the existence of this document alone does not automatically constitute authority to install the part/component/assembly. Where the user/installer performs work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts parts/components/assemblies from the airworthiness authority of the country specified in Block 1.</p> <p>Statements in Blocks 14 and 19 do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.</p>							